



SpaceVac™
INTERNATIONAL

spacevacinternational.com



**SpaceVac Reach Cleaning Systems
Illustrated Catalogue**

SpaceVac: Keeping the World Cleaner!



Innovation. It's more than just a word - it's the very heartbeat of everything we do.

Since our launch over 15 years ago, the SpaceVac team have continued to develop and create a growing family of unique cleaning solutions - all focussed on introducing a safe way of reaching hard to access areas and saving our clients time and money.

Our reputation for innovative solutions has seen some of the biggest companies in the world - from Tesla and Nike, to Facebook and Red Bull - trust SpaceVac for their toughest cleaning challenges.

Today, our range continues to develop with new 70mm [2.7"] system now available for heavy duty gutter cleaning, as well as a range of brand new vacuum cleaning systems, new cleaning tools and accessories and our recently launched ATEX certified camera and monitoring system.

Join us in our quest to keep the world working higher, faster and safer.

Tommie Nisula
CEO, SpaceVac International



Contents

| | Page |
|--|------|
| Introduction | 3 |
| The SpaceVac Pole Range | 4 |
| SpaceVac Industrial Vacuums | 6 |
| Internal Cleaning Systems | 8 |
| <ul style="list-style-type: none"> • Internal Lite [38mm / 1.5"] 10 • Internal Pioneer [38mm / 1.5"] 12 • Internal Classic [38mm / 1.5"] 14 • Internal Pro [38mm / 1.5"] 16 • Internal Ultra [38mm / 1.5"] 18 • Pathfinder Camera system 20 • Internal Vacuums 22 • Spacesuit 24 • Museums add-on pack 26 • Floor & Under Racking Kits 27 • Internal accessories 28 • Pole Brackets & Caddies 30 | |
| Specialist Cleaning Systems | 32 |
| <ul style="list-style-type: none"> • Atex Lite [38mm / 1.5"] 34 • Atex Pioneer [38mm / 1.5"] 36 • Atex Pro [38mm / 1.5"] 38 • Atex Pro [50mm / 2"] 40 • Atex Ultra [38mm / 1.5"] 42 • Ex-Plorer Camera System 44 • Specialist Vacuums 46 • Food Safe [38mm / 1.5"] 50 • Oven Kit 51 • Floor & Under Racking Kits 52 • Atex accessories 56 | |
| External Cleaning Systems | 58 |
| <ul style="list-style-type: none"> • External PROTEX [50mm/2"] 60 • External LITE [50mm/2"] 62 • External CLASSIC [50mm/2"] 64 • External PRO [70mm/2.7"] 66 • UNIVERSAL [50mm/2"] 68 • External Vacuums 70 • External accessories 72 | |

Connect with #TeamSpaceVac
on Social Media:



Rev: 11|25-26

Caution
Carbon Conducts Electricity
do not use in electrical areas
or near overhead power lines



Manufactured in Great Britain



38mm

ULTRA

U A < M N A T U

U A < M N A T U

U A < M N A T U

U A < M N A T U

U A < M N A T U

U A < M N A T U

U A < M N A T U

The SpaceVac Pole Range Explained

The SpaceVac range is built around a core of our interlocking Carbon Fibre cleaning poles.

Each of these poles offer operators varying degrees of reach, rigidity and strength, as well as unique safety properties that are governed by the material and manufacture of the pole itself.

Pultrusion vs Roll Wrap

When producing the kind of carbon fibre poles found in our cleaning systems there are generally two main methods of manufacture.

Firstly, Pultrusion is a continuous process whereby carbon fibres are pulled through a resin bath and then formed into a rigid shape by being drawn through a heated die. While pultrusion offers excellent strength, its design limitations impacts the pole's flexibility and overall structural properties

In contrast, roll wrapping - the method utilised in the manufacture of our poles - is a process where carbon fibre sheets are strategically wrapped around a mandrill, layering the fibres in a controlled, overlapping manner.

This method allows for precise orientation of the fibres, ensuring the poles are both lightweight and exceptionally strong where it matters most. Roll wrapping also enables greater customisation of the pole's performance characteristics, making it ideal for specialised applications that demand specific balance, strength, and flexibility

Roll wrapping is the superior method, due to its ability to optimise the fibre orientation

for enhanced strength-to-weight ratios..


This method also allows for greater control over the structural integrity of the final product, minimising weaknesses that could occur with more rigid processes like pultrusion. The result is a cleaner, more versatile product with exceptional durability and performance.

The Difference in our Pole Systems

Having covered the basics of how our poles are manufactured, the difference then in our range of poles comes down to two main areas; The composition of the pole itself and the alignment of the fibres.

To begin with, our family of cleaning poles utilise a variety of carbon fibre or glass fibre mixes - all of which offer their own unique properties.

These are then applied to the central mandrill in either a unidirectional manner (giving the ribbed appearance you can see on our classic poles) or a multi-directional



Engineer wrapping Carbon around a central mandrill to manufacture pole

weave which offers a more rigid durable finish.

These different Carbon blends and weaves offer each of our poles their own set of properties in terms of weight, durability, rigidity, strength and application.

The 'step up' in Carbon class between each of our poles - from our entry level LITE models to the top of the line ULTRA models, means that the poles become lighter and stiffer as the height and range of the system increases.

This means that operators cleaning up to 15m in height are still able to comfortably control the system when in use to its fullest extension - as demonstrated when an operator set a new world record in Berlin in 2019 for cleaning at over 20m in height at the Messe exhibition hall.

SEE MORE:

SCAN THE QR CODE To see a video on the manufacturing process that goes into our cleaning poles over on our Youtube channel.

Today, our engineering team are constantly looking for new ways to improve and innovate our product line - including the poles themselves- with the recent launch of our 70mm cleaning systems and non-conductive Protex systems highlighting just 2 recent examples of this constant search for innovation.

Our Manufacturing Partner: Advanced Composites Engineering



Based in Cramlington (UK), Advanced Composites Engineering boast a collective 200 years experience in the manufacture of Composite materials.

The team has delivered everything from components for Rally Cars to Vacuum cleaners - and even provided self powering components for the International Space Station - an unparalleled CV in the composites space that has not only seen the team pioneer cutting edge composite manufacture - but truly understand the capabilities and limits of these materials.

The results of this partnership have seen us develop a range of new products including our ultra range which allow operators to reach heights of over 20m and our voltage resistant Protex poles.

Find out more: advcomp.co.uk



Introducing The NEW Line of SpaceVac Industrial Vacuums Cleaners!



Introducing our range of high-performance industrial vacuum cleaners, designed to elevate your high-level cleaning to all new levels!

Built with precision engineering, our machines deliver market leading suction and filtration; ensuring thorough cleaning even in the most challenging environments. From factories to pharmaceuticals, our vacuums are designed to handle tough jobs with ease, reducing downtime and boosting productivity.

The new line offers an extended range of models including a core range of vacuums - designed to meet a range of solutions - along with an extensive range of specialist vacuums to work in a range of environments removing specialist, hazardous waste.

A Partnership Written in the Stars

This new range of vacuums has been developed to offer a range of cleaning to operators with single, dual and triple motor options available for cleaning internally, externally and removing combustible waste from ATEX or ACD rated environments.

Our NEW range of industrial vacuum cleaners have been developed to meet the demands of heavy industry, the intensity of food manufacturing and the exacting standards within the pharmaceutical sector.

The range features a number of useful USPs and features to make them the ideal companion to any SpaceVac system...

Market-Leading Filtration: Equipped with advanced filtration systems, our vacuums trap even the finest dust particles and allergens, ensuring a cleaner, safer work environment.

Our filters are designed for high efficiency and long life, minimizing downtime and maintenance costs.

Durable Build Quality: Built to withstand the toughest industrial conditions, our vacuums are constructed from robust, high-quality materials. This ensures reliable performance even in the most demanding environments, providing you with a machine that lasts.

Integrated Tool and Pole Holders: Each vacuum is designed with built-in tool and pole holders, allowing it to function as a mobile cleaning cart. This keeps all your cleaning tools securely in place during operation, improving efficiency and eliminating the need for separate equipment transport.

Ease of Cleaning and Maintenance: Our vacuums are designed with the user in

mind, making cleaning and maintenance quick and hassle-free. With easy access to filters and components, you can keep your machine in optimal condition with minimal effort.

Independently Switchable Motors: For greater control and energy efficiency, our vacuums feature independently switchable motors. This allows you to adjust the suction power based on the task at hand, ensuring you always have the right level of performance while reducing energy consumption when full power isn't needed.

Further - All Endeavour, Titan, Neptune & Mercury vacuums are all supported by a 2 Year Warranty!

Packed with features...

* Features not available on all models - please refer to specification sheets for full details.



Book a Free Presentation Today!

Call us today on 01604 968668 to book a free presentation or visit spacevacinternational.com/book-a-demo



INTERNAL

Cleaning Systems

SpaceVacs Internal cleaning range offers a selection of flexible cleaning solutions for the fast and safe removal of dirt and dust from high-level areas.

Ideal for use in:



Retail



Education



Leisure & Tourism



Warehouse & Logistics



Office



FM/BSC



Art & Culture



Travel & Transport

Systems Available:

- Internal **LITE** [38mm/1.5"] Page 10
- Internal **PIONEER** [38mm/1.5"] Page 12
- Internal **CLASSIC** [38mm/1.5"] Page 14
- Internal **PRO** [38mm/1.5"] Page 16
- Internal **ULTRA** [38mm/1.5"] Page 18
- **Explorer Camera** Page 20
- Internal **Vacuums** Page 22
- **Spacesuit** Page 24
- **Museums Add-on pack** Page 25
- **Under Racking & Floor kits** Page 26
- Internal accessories Page 30
- Pole brackets & Pole caddies Page 30

"The introduction of Space Vac to our team has made a tremendous impact. We are able to clean high level ducting, light fixtures and sprinklers, to name a few, within factory areas while production is still running."

Weetabix UK



The SpaceVac LITE cleaning system is a low-cost entry level product for occasional use and cleaners only requiring a few metres of additional reach.

The ideal additional to your cleaning cart, the SpaceVac LITE is perfect for operators looking at add extra services to their business offering - or just improve existing cleaning routines. The system offers up to 4.75m [15ft] in reach making it ideal for cleaning single storey domestic and commercial properties.

Featuring our unique "safety locking mechanism" the SpaceVac LITE system comes with everything you need to begin removing high-level dust with your existing vacuum - including two specialist brushes. The system can also be used with a range of additional add-on tools to give users increased flexibility.



Suggested Add-Ons:

Endeavour Internal Vacuums
(Page 22)



Additional Heads & Tools (Page 30) Pathfinder Camera System (Page 20)

About our Internal LITE Poles:

- Appearance: Black glass
- Make up: 100% Black glass.
- Weight: 370 grams

SPACEVAC LITE 38mm Manufactured in Great Britain



Higher. Faster. Safer.

SV38/LITE



Whats Included: Internal Lite 38mm / 1.5"

- Pole Length: 1.25m / 4ft
- Pole Diameter: 38mm / 1.5"
- Carbon Material: Glass Fibre
- No of Poles enclosed: 3
- Enclosed Pole Length: 3.75m / 12ft
- Max Working Height: 4.75m / 15ft



* Can be extended by up to 2 additional poles

Lite Pole Kit

Contains: 3 x cleaning poles, 1 x Pole bag



SV38/125-LITE
3 x Lite Cleaning Pole
38mm [1.5"] x 1.25m [4ft]



SV-LPB
Lite Pole Bag

Lite Head Kit

Contains: 1 x cleaning head, 2 x Brushes



SV38/90H
90 Degree Cleaning Head



SV38/85W
Small Flexi Brush
200mm [8"]



SV38/SRB
Small Round Brush




SV38/32HA
Hose to pole Adaptor
32mm [1.2"]

Lite Hose Kit

Contains: Hose to pole adaptor

A Flexible Cleaning Solution:



All of SpaceVac's cleaning high-level poles, cleaning heads and tools and brushes are equipped with our safety-locking mechanism.

Not only does this unique feature ensure that the system stays securely in place during operation, but it also means that the elements of the system are able to interconnect and create bespoke configurations and shapes to help operators reach over, around and across obstacles to clean even the most difficult to access areas within a building.

See examples of these custom configurations in action over on our Youtube channel!

Designed to fill the gap between our entry-level LITE system and the bigger, more powerful systems available elsewhere in the range, the SpaceVac PIONEER is a flexible cleaning solution suitable for a range of environments.

Reaching over 6m (21ft) in height from the safety of the ground floor, the PIONEER system has been designed for users looking for a little extra reach and functionality in their SpaceVac system - coming accessorised with additional cleaning heads and brushes, all featuring our unique safety locking mechanism to ensure the system stays securely in place while in use.

In addition - the PIONEER features a useful 'half' cleaning pole, giving users additional reach or the ability to extend the reach of brushes over obstacles to clean recessed ledges, tops of machinery and other areas.



About our Internal PIONEER Poles:

- Appearance: Black glass
- Make up: Standard modulus carbon, Black glass
- Weight: 350 grams



Suggested Add-Ons:

Endeavour Internal Vacuums (Page 22)



Additional Heads & Tools (Page 30) Pathfinder Camera System (Page 20)

SPACEVAC PIONEER 38mm Manufactured in Great Britain Higher. Faster. Safer.



SV38/PIONEER

Whats Included: Internal Pioneer 38mm / 1.5"

- Pole Length: 1.6m / 5ft 2"
- Pole Diameter: 38mm / 1.5"
- Carbon Material: Glass Fibre / Carbon Fibre Composite
- No of Poles enclosed: 3.5
- Enclosed Pole Length: 5.6m / 18ft
- Max Working Height: 6.6m / 21ft



Pioneer Pole Kit

Contains: 3 x cleaning poles, 1x Half cleaning pole, Padded pole bag



SV38/16-Pioneer 3 x Pioneer Cleaning Pole 38mm (1.5") x 1.6m (5ft 2")

SV38/08-Pioneer 1 x Pioneer Half Cleaning Pole 38mm (1.5") x 0.8m (2ft 6")

SV-PB Padded pole bag

Pioneer Head Kit

Contains: 3 x cleaning heads, 3 x Brushes



SV38/90H 90 Degree Cleaning Head



SV38/135H 135 Degree Cleaning Head



SV38/45H 45 Degree Cleaning Head




SV38/FLT Flat Surface Tool 300mm (12")



SV38/85W Small Flexi Brush 200mm (8")



SV38/SRB Small Round Brush



Pioneer Hose Kit

Contains: 1 x Hose, 1 x Adaptor, 1 x Cuff, Hose bag



SV38/HA Hose to Pole Adaptor



SV38/3H Anti static Hose 3m (10ft)



SV38/50HC Vac Inlet Cuff 50mm (2")



SV/HB Hose Bag

* Colour of supplied hose may vary from that shown. Please enquire for more information.



See More:

Scan to see the SpaceVac system in action on our Youtube channel.



Our best selling system - the SpaceVac Internal CLASSIC System provides operators with a safe and easy way to clean high-level areas up to 10m (32ft) high from the safety of the ground floor

Designed and manufactured in the UK, the 38mm (1.5") CLASSIC pole, is made from a high grade 3K Carbon Fibre blend to deliver a durable but lightweight cleaning pole capable of delivering long last cleaning performance. Featuring our unique safety locking mechanism, the pole system interlocks to stay securely in place during operation - keeping operators safer.

Featuring 5.5 cleaning poles and a full compliment of 4 cleaning heads and 5 specialist tools and brushes, the CLASSIC system provides a versatile cleaning solution, that can even interconnect to create custom shapes and configurations for cleaning difficult to access areas



Suggested Add-Ons:

Endeavour Internal Vacuums (Page 22)



About our Internal Classic Poles:

- Appearance: Pure Carbon.
- Make up: Standard modulus carbon, 1 layer of clear glass.
- Weight: 313 grams

SPACEVAC CLASSIC 38mm



Higher. Faster. Safer.




SV38/CLASSIC

- Whats Included: Internal Classic 38mm / 1.5"
- Pole Length: 1.6m / 5ft 2"
 - Pole Diameter: 38mm / 1.5"
 - Carbon Material: Glass Fibre / Carbon Fibre Composite
 - No of Poles enclosed: 5.5
 - Enclosed Pole Length: 8.8m / 29ft
 - Max Working Height: 9.8m / 32ft

Classic Pole Kit

Contains: 5 x cleaning poles, 1 x Half cleaning pole, Padded pole bag



SV38/16-Classic
5 x Classic Cleaning Pole
38mm (1.5") x 1.6m (5ft 2")

SV38/08-Classic
1 x Classic Half Cleaning Pole
38mm (1.5") x 0.8m (2ft 6")

SV-PB
Padded pole bag

Classic Head Kit

Contains: 4 x heads, 5 x brushes, Mesh bag



SV38/90H
90 Degree Cleaning Head

SV38/135H
135 Degree Cleaning Head

SV38/45H
45 Degree Cleaning Head

SV38/STR
Straight Head

SV/MB
1 x Mesh Bag

SV38/85W
Small Flexi Brush
200mm (8")

SV38/SRB
Small Round Brush

SV38/FLT
Flat Surface Tool
300mm (12")

SV38/15SW
Large Flexi Brush
380mm (15")

SV38/12DB
Ducting Brush
300mm (12")

Classic Hose Kit

Contains: 1 x Hose, 1 x Adaptor, 1x Cuff, Hose bag



SV38/HA
Hose to Pole Adaptor

SV38/5H
Anti static hose
5m (16ft)

SV38/50HC
Vac Inlet Cuff
50mm (2")

SV/HB
Hose Bag

* Colour of supplied hose may vary from that shown. Please enquire for more information.

See More:
Scan to watch our explainer animation.

Offering additional reach and durability - the SpaceVac Internal PRO System helps advanced users and teams looking for extra reach to unlock increasing heights of up to 15m.

The PRO system offers this increased reach by utilising a high grade 4K Carbon Fibre blend which both reduces weight and flex - allowing poles to stack higher whilst remaining both comfortable and easy to operate.

Featuring 7.5 cleaning poles and a selection of 4 cleaning heads and 5 specialist tools and brushes, the PRO system provides a versatile cleaning solution, that can even interconnect to create custom shapes and configurations for cleaning difficult to access areas!



Suggested Add-Ons:

Endeavour Internal Vacuums (Page 22)



About our Internal Pro Poles:

- **Appearance:** Plain carbon main body with 2x2 ground twill finish on male end
- **Make up:** Standard modulus carbon, 3k 2x2 twill carbon.
- **Weight:** 298 grams



Spacesuit (Page 24)



Pathfinder Camera System (Page 20)

SPACEVAC PRO 38mm



Higher. Faster. Safer.

Max: 15.2m*
Min: 12m



SV38/PRO

Whats Included: Internal Pro 38mm / 1.5"

- Pole Length: 1.6m / 5ft 2"
- Pole Diameter: 38mm / 1.5"
- Carbon Material: Glass Fibre / Carbon Fibre Composite
- No of Poles enclosed: 7.5
- Enclosed Pole Length: 12m / 39ft
- Max Working Height: 13m / 42ft

* Can be extended by up to 2 additional poles

Pro Pole Kit

Contains: 7 x cleaning poles, 1x Half cleaning pole, Padded pole bag



SV38/16-Pro
7 x Pro Cleaning Pole
38mm (1.5") x 1.6m (5ft 2")

SV38/08-Pro
1 x Pro Half Cleaning Pole
38mm (1.5") x 0.8m (2ft 6")

SV-PB
Padded pole bag

Pro Head Kit

Contains: 4 x heads, 5 x brushes, Mesh bag



SV38/90H
90 Degree Cleaning Head



SV38/135H
135 Degree Cleaning Head



SV38/45H
45 Degree Cleaning Head



SV38/STR
Straight Head



SV/MB
1 x Mesh Bag



SV38/85W
Small Flexi Brush
200mm (8")



SV38/SRB
Small Round Brush



SV38/FLT
Flat Surface Tool
300mm (12")



SV38/15SW
Large Flexi Brush
380mm (15")



SV38/12DB
Ducting Brush
300mm (12")

Pro Hose Kit

Contains: 1 x Hose, 1 x Adaptors, 1 x Cuff, 1 x Hose bag



SV38/HA
Hose to Pole Adaptor



SV38/5H
Anti static hose
5m (16ft)



SV38/50HC
Vac Inlet Cuff
50mm (2")



SV/HB
Hose Bag

* Colour of supplied hose may vary from that shown. Please enquire for more information.



See More:

Scan to see how quickly and easily SpaceVac can be deployed onsite.



Designed to cater for professional users need to clean up to 20m in height, the SpaceVac ULTRA is our most durable, lightweight cleaning system yet.

Interlocking using our safety locking mechanism, the **ULTRA** system offers our most rigid cleaning pole yet to ensure a system that is both safe and comfortable to operate at increasing heights. Manufactured in the UK, the poles are made from a high performance 12k Carbon weave to offer unmatched durability in our lightest ever cleaning pole.

Featuring 9.5 cleaning poles and a full compliment of 4 cleaning heads and 5 specialist tools and brushes, the **ULTRA** system provides a versatile cleaning solution, proves that when it comes to innovative cleaning solutions - the sky is never the limit!



Suggested Add-Ons:

Endeavour Internal Vacuums (Page 22)



Spacesuit (Page 24)



Pathfinder Camera System (Page 20)

SPACEVAC
 ULTRA
 38mm
 Manufactured in Great Britain
 Caution: Unless otherwise specified, to be used in accordance with the manufacturer's instructions.
 Higher. Faster. Safer.

SV38/ULTRA

↑
Max: 19.2m*
Min: 16m
↓

Whats Included: Internal Ultra 38mm / 1.5"

- Pole Length: 1.6m / 5ft 2"
- Pole Diameter: 38mm / 1.5"
- Carbon Material: Glass Fibre / Carbon Fibre Composite
- No of Poles enclosed: 9.5
- Enclosed Pole Length: 15m / 49ft
- Max Working Height: 16m / 52ft



* Can be extended by up to 2 additional poles

Ultra Pole Kit

Contains: 9 x cleaning poles, 1x Half cleaning pole, 1 x Padded pole bag



SV38/16-Ultra
9 x Ultra Cleaning Pole
38mm (1.5") x 1.6m (5ft 2")

SV38/08-Ultra
1 x Ultra Half Cleaning Pole
38mm (1.5") x 0.8m (2ft 6")

SV-PB
Padded pole bag

Ultra Head Kit

Contains: 4 x Heads, 5 x Brushes, 1 x Mesh bag



SV38/90H
90 Degree Cleaning Head



SV38/135H
135 Degree Cleaning Head



SV38/45H
45 Degree Cleaning Head



SV38/STR
Straight Head



SV/MB
1 x Mesh Bag



SV38/85W
Small Flexi Brush
200mm (8")



SV38/SRB
Small Round Brush



SV38/FLT
Flat Surface Tool
300mm (12")



SV38/15SW
Large Flexi Brush
380mm (15")



SV38/12DB
Ducting Brush
300mm (12")

Ultra Hose Kit

Contains: 1 x Hose, 1 x Adaptor, 1 x Cuff, 1 x Hose bag



SV38/HA
Hose to Pole Adaptor



SV38/5H
Anti static hose
5m (16ft)



SV38/50HC
Vac Inlet Cuff
50mm (2")



SV/HB
Hose Bag

* Colour of supplied hose may vary from that shown. Please enquire for more information.



See More:

Scan to watch the SpaceVac Ultra system break a world record!





Despite its small footprint, Pathfinder delivers serious capability. A 120° wide-angle lens captures expansive detail, while real-time interconnection through a dedicated app ensures seamless, delay-free streaming.

Its IP68 waterproof rating makes it tough enough for any environment, and the 1600 mAH removable battery supports extended use — even allowing operators to charge and record simultaneously.

By combining visibility with reach, Pathfinder allows users to confirm cleaning results instantly, plan maintenance accurately, and reduce unnecessary equipment movement — all from the safety of the ground.

The Pathfinder makes advanced inspection technology accessible to everyone. As the perfect companion to SpaceVac's internal and external cleaning systems, it delivers professional-grade clarity without the complexity or cost of larger rigs.

Specifications:

- Stills: 12mp
- Records At: 1080p HD
- Battery Life: 9 hours
- Waterproof: Yes
- Waterproof Connections: Yes
- Low Light Mode: Yes
- Compatible with other devices: Yes
- Remote Access Mode: Yes

Introducing the new Pathfinder Camera / Monitoring System

Seeing clearly is the first step to cleaning safely and efficiently. The new SpaceVac Pathfinder brings visibility and precision together in one compact, affordable system — helping cleaning professionals inspect high, hard-to-reach areas both indoors and outdoors without ever leaving the ground.

Designed for convenience and built for performance, the Pathfinder gives operators total visual control during every stage of cleaning. By connecting to an Android 12-equipped monitor, it provides crystal-clear, real-time footage of otherwise inaccessible spaces — from warehouse rafters and ducting to external gutters and downpipes.



SVCAM/PATHFINDER-KIT - Pathfinder Camera & Monitoring System

| | | | | | |
|---|---|---|---|---|---|
|  |  |  |  |  |  |
| SVCAM-PATHFINDER Waterproof Pathfinder Camera | SVCAM-OBSERVER2 Phone Monitor | SVCAM-CLAMP 2 x Camera and Monitor Tube Clamps | SVSCREEN-MOUNT Screen Mount | SVCAM-CARRYCASE Camera Bag | SVCAM-HOLDER Camera holder with quick release clip |

Camera Accessories

Increase the functionality and reach of your Pathfinder Camera system* with a range of add-on products:

| | | |
|---|---|---|
|  |  |  |
| SVCAM-FLEXIHOLD Flexible neck Bracket | SV/IP35 Telescopic Inspection Pole 10.5m [35ft] | SV/IP55 Telescopic Inspection Pole 16.5m [55ft] |



* Not tested for use in ATEX areas - not to be used in conjunction with EX-plorer ATEX Camera system.

ENDEAVOUR Internal Vacuums



ENDEAVOUR a range of industrial vacuums for the removal of dust, dirt and contaminate from internal areas such as walls, ceiling, vents, pipework and more.

Featuring powerful airflow and market leading filtration systems, the **ENDEAVOUR** range of vacuums have been designed to provide the perfect vacuum to obtain the best performance from our carbon REACH systems.

Key Features:

- » Powerful cleaning performance
- » Market leading filtratio
- » Compact and mobile
- » Unique pole and tool holders*
- » Durable steel construction
- » Easy to clean and maintain



Endeavour 2
Portable

Endeavour
Commercial

Endeavour 2
Industrial

Key Sectors:

- Retail ✓
- Education ✓
- Leisure & Tourism ✓
- Warehouse & Logistics ✓
- Office ✓
- FM/BSC ✓
- Healthcare & Pharma ✓
- Travel & Transport ✓

Including: Schools, Colleges, Shopping centres, Libraries, Museums, Airports, Train stations, warehouses, cinemas, theatres, arenas, hotels, theme parks, Hospitals and more.

* Not available on all models

- Endeavour 2** portable 110v vac
- Endeavour 2** portable 230v vac
- Endeavour 2** Commercial 110v vac
- Endeavour 2** Commercial 230v vac
- Endeavour 2** Industrial 110v vac
- Endeavour 2** Industrial 230v vac

| Specifications | | Endeavour 2 Portable | Endeavour 2 Commercial | Endeavour 2 Industrial |
|---------------------------|------------|-------------------------|---------------------------|---------------------------|
| Voltage | V - Hz | 110/230 | 110/230 | 230 |
| Power | kW | 1.15 | 1.15 | 2.3 |
| Amps | A | (110) 8 / (230) 5 | (110) 8 / (230) 5 | (110) 16 / (230) 10 |
| Max air flow | m³/h / CFM | 180 / 106 | 180 / 106 | 360 / 212 |
| Suction inlet | mm | 50 | 50 | 50 |
| Noise level [EN ISO 3744] | dB[A] | 74 | 74 | 76 |
| Tool Holders | | Yes | Yes | Yes |

Built to work. Built to last.



The Spacesuit is a unique, ergonomically designed support to help make use any SpaceVac system even easier to use!

Built around a lightweight but durable plastic support, the Spacesuit works by spreading the weight of the SpaceVac system equally across the full length and width of users shoulders and spine.

Spreading the weight in this manner helps to make the system lighter and thus more comfortable to work with over long cleans or when cleaning above 10m.

Accessorised with a set of innovative prismatic glasses to avoid neck strains from looking upwards for prolonged periods.


SV/Spacevac-Bundle Spacesuit Bundle



SV/SS SpaceVac Spacesuit



SV/PG Prismatic Glasses



SpaceVac presents a range of dedicated tools and accessories for cleaners dealing with delicate items in museums, galleries and historic landmarks.

Cleaning in such areas often requires specialist equipment to ensure that cleaning work does not damage artefacts and so our Museums add-on pack features a range of soft-touch brushes to provide a range of non-abrasive options.

Compatible with any SpaceVac internal cleaning system, the pack also features a unique micro-brush pack and adaptor for detail cleaning.



SV/MK- SpaceVac Museums Kit

Contains: 2 x Brushes, 1 x Micro tool kit, 1 x Mesh bag



SV38/SHHB Small Round Horse Hair Brush (Soft)



SV38/GHB Small Goat Hair Brush (Very Soft)



SV/MTK 8 Piece Micro Tool Kit [Inc 38mm/1.5" Hose Adaptor And Bag]



SV/MB Mesh Bag



Leaving dust with
nowhere to hide...



In addition to our range of high reach cleaning systems, SpaceVac also offers a range of handy solutions for the easy removal of dirt and dust from low-level areas as well.

Our internal floor and under racking conversion kits allow operators to use **any** SpaceVac pole system to clean horizontally, quickly and efficiently removing waste from the floors of industrial and commercial properties - allowing operators to easily maintain the highest aesthetic standards and indoor air quality.

Held securely in place during operation by our unique safety locking mechanism, these conversion kits feature wide diameter floor cleaning tools and heavy duty extension poles to clean areas significantly faster than traditional vacuums.

The method of cleaning is ideal for use in a range of facilities such as warehouses, colleges, shopping centres and airports and can be extended with the addition of extra cleaning poles for additional reach while cleaning.

ATEX certified version also available for cleaning in specialist combustible environments - see page 52 for more information.


Benefits of our Floor and Under Racking Kits:

- ✓ Extend the useful range of your SpaceVac system - one system to clean all areas!
- ✓ Prevent dirt and dust being transferred throughout a facility reducing the risk of cross-contamination.
- ✓ Reduce the risk of slips and falls in the facility.
- ✓ Compatible with **any** vacuum including centralised HVAC systems.
- ✓ Half pole allows for access in even the most confined spaces
- ✓ 50mm [2"] version available for heavy duty cleaning.
- ✓ Combine with other SpaceVac heads and poles to create **custom configuration** to reach even the most inaccessible spots.
- ✓ Create custom floor kit bundles to perfectly access the most difficult to reach areas of your facility.

Configure our Own Kit:

To enable our clients to meet even the toughest cleaning challenges - our floor and under-racking kits can be configured to create kits custom made for your facility.

Selecting from the available poles, tools and connectors any SpaceVac system can quickly and easily be put to use cleaning horizontally.



Select Pole Lengths

Our pole lengths are available in three lengths:



Select Diameter

The poles and tools are available in two diameters to match whichever system is being converted:



Select Required Heads and Tools:

Select from a range of cleaning heads and tools to fit



Not sure what you need?

Reach out and talk to our team today to discuss your requirements in more detail!
spacevacinternational.com/contact

Cleaning Poles:

Available in 2x diameters and 3x lengths.

38mm



SV38/08-PIONEER
 Strengthened Carbon Pole
 38mm (1.5") x 0.8m (2ft 6")



SV38/125-LITE
 Strengthened Carbon Pole
 38mm (1.5") x 1.25m (4ft 2")



SV38/16-PIONEER
 Strengthened Carbon Pole
 38mm (1.5") x 1.6m (5ft 2")

50mm



SV50/08-CLASSIC
 Strengthened Carbon Pole
 50mm (2") x 0.8m (2ft 6")



SV50/125-CLASSIC
 Strengthened Carbon Pole
 50mm (2") x 1.25m (4ft 2")



SV50/16-CLASSIC
 Strengthened Carbon Pole
 50mm (2") x 1.6m (5ft 2")

Cleaning Heads & Connectors:

Available in 2x diameters

38mm



SV38/STR
 Straight Head



SV38/45H
 45 Degree Cleaning Head



SV38/HA
 Hose to pole Adaptor
 38mm / 1.5"



SV38/FLT
 Flat surface Tool
 300mm / 12"



SV38/FLT400-HD
 Heavy Duty Floor Tool
 400mm / 14"



SV38/FLT400-HDNS
 Heavy Duty Floor Tool
 [no swivel]
 400mm / 14"



SV38/SCAV
 Wide Nozzle Scavenger
 Tool 38mm / 1.5"



SV38/FLT-ADJUST
 Height Adjustable Floor
 Tool 430mm / 16"

50mm



SV50/45-MFPA
 Male to Female Pole
 Adaptor



SV50/HA
 Hose to Pole Adaptor
 50mm / 2"



SV50/FLT400-HD
 Heavy Duty Floor Tool
 400mm / 14"



SV50/FLT400-HDNS
 Heavy Duty Floor Tool
 400mm [no swivel]
 400mm / 14"



SV50/SCAV
 Wide Nozzle Scavenger
 Tool 50mm / 2"



SV50/FLT-ADJUST
 Height Adjustable Floor
 Tool 430mm / 16"

Internal Accessories

SpaceVac presents a range of accessories and add-on tools to increase the flexibility and functionality of Space Vac and allow for the cleaning of specific areas



Pole Bracket

SpaceVac's wall/floor mounted pole/tool holder designed to be used with central vacuum systems.

The pole bracket is perfect for storing poles/tools near to any vacuum inlet point. Where more holders are required simply add another bracket. Take your central vacuum system to new heights.

Pole Bracket Features:

- Heavy duty steel construction
- Powder coated in safety yellow
- Available with 4 x 38mm [1.5"] or 50mm [2"] holders

Pole Bracket Applications:

- Central vacuum systems
- Storage cupboards

Internal and conductive ATEX version available!

SV38/50/FLBR

Floor mounted Pole & Tool Holder

SV38/50/WLBR

Wall mounted Pole & Tool Holder



Pole Caddy

SpaceVac REACH all area's systems can be added to any suitable commercial or industrial vacuums.

Whilst this solution won't benefit from our unique on board pole and tool holders you can still store your accessories on our robust carry systems, ensuring that pole assembly is easy, fast and safe.

Pole storage is also off the ground removing a dangerous slip/trip hazard

Pole Caddy Features:

- Heavy duty steel construction
- Powder coated in safety yellow
- 12x 38mm [1.5"] / 50mm [2"] holders
- Centre storage area
- 4 easy roll castors with 2 lockable safety wheels
- Available in 38mm [1.5"] and 50mm [2"] versions.

Internal and conductive ATEX version available!

SV38/50/CADDY

Pole & Tool Caddy



Pole Caddy Applications:

- For use with smaller SpaceVac vacuums that do not have our pole/tool holders fitted a standard. Also ideal for other manufacturers commercial/industrial vacuums
- General storage of additional poles and accessories.
- And for our domestic and international distribution partners the Pole Caddy is perfect to use as an Exhibition or showroom display stand.



Book a Free Presentation Today!

A free presentation is the best way of understanding a SpaceVac system and the impact it could make on your cleaning and FM regimes.

Call us today on 01604 968668 to book a free presentation or scan the QR code:



SPECIALIST

Cleaning Systems

SpaceVacs Specialist cleaning range delivers a fully conductive suite of systems certified as safe for use removing combustible dust and was e materials from ATEX certified environments.

Ideal for use in:



Retail



Laundry & Textiles



Paper, Tissue & Card



Warehouse & Logistics



Manufacturing



FM/BSC



Medical/Pharma



Energy & Construction

Systems Available:

- ATEX Lite [38mm/1.5"] Page 34
- ATEX Pioneer [38mm/1.5"] Page 36
- ATEX Pro [38mm/1.5"] Page 38
- ATEX Pro [50mm/2"] Page 40
- ATEX Ultra [38mm/1.5"] Page 42
- Ex-plorer Extreme Camera System Page 44
- Specialist Vacuums Page 46
- Food Safe [38mm / 1.5"] Page 50
- Oven Kit Page 51
- Floor & Under Racking Kits Page 52
- ATEX Accessories Page 56

"Significant benefits in both safety and cost savings. Introducing Spacevac reduced the manpower needed to complete our cleaning work and also did not require any platforms, which realised an excellent cost saving for us."

RPC Plastics [UK]




Tested and certified to TEX standards, our ATEX LITE Cleaning System is a perfect introductory system for occasional users and operators cleaning at low levels in combustible areas.

Recognising that not all specialist atmospheres have to be huge spaces, the LITE system has been developed for entry level users and teams with occasional cleaning requirements above head height.

Made of 100% Carbon and held in place during operation with our unique safety locking mechanism, the LITE system is accessorised with a number of cleaning tools and angled cleaning heads to provide options for quickly and easily removing combustible waste up to 5m in height.

The system allows for fast and efficient cleaning of walls, ceilings, vents, ducting, pipework and other areas where dust can settle above eye level.



Suggested Add-Ons:

TITAN ATEX Vacuums / Mercury ACD Vacuums (Page 46)



About our ATEX LITE Poles:

- Appearance: Full 2x2 Twill finish, including ground male section.
- Make up: High Modulus Carbon, 3K 2x2 twill carbon
- Weight: 232 grams



Additional Heads & Tools (Page 56) Explorer Camera System (Page 44)

SPACEVAC Higher. Faster. Safer.



SVA38/EX-LITE

↑
Max: 7.25m*
Min: 4.75m
↓

Whats Included: ATEX Lite 38mm / 1.5"

- Pole Length: 1.25m / 4ft"
- Pole Diameter: 38mm / 1.5"
- Carbon Material: 100% Carbon
- No of Poles enclosed: 3
- Enclosed Pole Length: 3.75m / 12ft
- Max Working Height: 4.75m / 15ft



* Can be extended by up to 2 additional poles

ATEX Lite Pole Kit

Contains: 3 x cleaning poles, 1 x Pole bag



SVA38/125-LITE
3 x Conductive Lite Cleaning Poles
38mm [1.5"] x 1.25m [4ft]

SV/LPB
Lite Pole Bag

ATEX Lite Head Kit

Contains: 2 x Cleaning heads, 2 x Brushes, 1 x Mesh bag



SVA38/90H
Conductive 90 Degree Head

SVA38/45H
Conductive 45 Degree Head

SVA38/FLT
Conductive Flat Surface Tool
300mm / 12"

SVA38/SRB
Conductive Small Round Brush

SV/MB
1 x Mesh Bag

ATEX Lite Hose Kit

Contains: 1 x Cuff, 1 x Hose, 1 x Adaptor, Hose bag



SVA38/HA
Hose to Pole Adaptor

SVA38/5H
Conductive Hose
5m / 15ft

SVA38/50HC
Conductive Hose to Vac Inlet Cuff

SV/HB
Hose Bag

See More:
Scan to see the SpaceVac system in action on our Youtube channel.

Conductive and Anti-Static Accessories Available

See page 50 for a full range of add-on tools and brushes to expand the reach and functionality of your SpaceVac system!

The ATEX Pioneer has been specifically launched to fill a niche in the specialist cleaning space.

The system was designed to sit in the SpaceVac range between our entry level LITE system and the more advanced heavy duty products elsewhere in the line such as our PRO and ULTRA lines and is all manufactured in fully conductive 100% Carbon.

Tested and certified to ATEX standards, the PIONEER offers operators 20ft of reach from the safety of the ground floor, allowing operators to safely remove combustible materials such as wood, flour or paper from above head height.

Secured in place with our unique safety locking mechanism, the PIONEER system is fully provisioned with a range of cleaning accessories and tools, with the ability to add a range of additional conductive and anti-static tools for meeting additional cleaning challenges.



Suggested Add-Ons:

TITAN ATEX Vacuums / Mercury ACD Vacuums (Page 46)



Additional Heads & Tools (Page 56) Ex-plorer Camera System (Page 44)

SPACEVAC
ATEX PIONEER
38mm
Higher. Faster. Safer.

Max: 9.8m*
Min: 6.6m



Whats Included: ATEX Pioneer 38mm / 1.5"

- Pole Length: 1.6m / 5ft 2"
- Pole Diameter: 38mm / 1.5"
- Carbon Material: 100% Carbon
- No of Poles enclosed: 3.5
- Enclosed Pole Length: 5.6m / 18ft
- Max Working Height: 6.6m / 21ft

* Can be extended by up to 2 additional poles



ATEX Pioneer Pole Kit

Contains: 3 x cleaning poles, 1x Half cleaning pole, 1 x Padded pole bag



SVA38/16-PIONEER
3 x Pioneer Conductive Cleaning Pole
38mm (1.5") x 1.6m (5ft 2")

SVA38/08-PIONEER
1 x Pioneer Conductive Half Pole
38mm (1.5") x 0.8m (2ft 6")

SV-PB
Padded pole bag

ATEX Pioneer Head Kit

Contains: 3 x Cleaning heads, 1 x Brush, 2 x Tools, 1 x Mesh bag



SVA38/90H
Conductive 90 Degree Head



SVA38/45H
Conductive 45 Degree Head



SVA38/135H
1 x 135 Degree Cleaning Head



SVA38/FLT
Conductive Flat Surface Tool
300mm / 12"



SVA38/SRB
Conductive Small Round Brush



SVA38/CT
Crevice Tool



SV/MB
1 x Mesh Bag

ATEX Pioneer Hose Kit

Contains: 1 x Cuff, 1 x Hose, 1 x Adaptor, 1 x Hose bag



SVA38/HA
Conductive Hose to Pole Adaptor



SVA38/5H
Conductive Hose
5m / 15ft



SVA38/50HC
Conductive Hose to Vac Inlet Cuff
38mm(1.5")-50mm(2")



SV/HB
Hose Bag



See More:

Scan to see how quickly and easily SpaceVac can be deployed onsite.




Our ATEX cleaning poles were a world first when they first entered the combustible market in 2016.

Developed in response to a number of deadly incidents involving the use of incorrect cleaning equipment in explosive atmospheres, SpaceVac sought to engineer a system safe for use in these specialised environments.

Manufactured to the highest standards right here in the UK - our ATEX PRO poles are made from 100% Carbon and are tested and certified to strict standards.

The system is fully accessorised with a range of conductive and anti-static accessories for flexible cleaning options as well as a range of angled cleaning heads for accessing difficult to reach spots.



Suggested Add-Ons:

TITAN ATEX Vacuums / Mercury ACD Vacuums (Page 46)



About our ATEX PRO 38mm Poles:

- Appearance: Full 2x2 Twill finish, including ground male section.
- Make up: High Modulus Carbon, 3K 2x2 twill carbon
- Weight: 290 grams



Food Safe Add-on pack (Page 50)

Ex-plorer Camera System (Page 44)

SPACEVAC Higher. Faster. Safer.

Max: 12m*
Min: 9.8m



* Can be extended by up to 2 additional poles

SVA38/EX-PRO

Whats Included: ATEX Pro 38mm / 1.5"

- Pole Length: 1.6m / 5ft 2"
- Pole Diameter: 38mm / 1.5"
- Carbon Material: 100% Carbon
- No of Poles enclosed: 5.5
- Enclosed Pole Length: 8.8m / 29ft
- Max Working Height: 9.8m / 32ft

ATEX Pro 38mm Pole Kit

Contains: 5 x cleaning poles, 1 x Half cleaning pole, 1 x Padded pole bag



SVA38/16-Pro
5 x Conductive Pro Cleaning Pole
38mm (1.5") x 1.6m (5ft 2")



SVA38/08-Pro
1 x Conductive Pro Half Pole
38mm (1.5") x 0.8m (2ft 6")



SV-PB
Padded pole bag

ATEX Pro 38mm Head Kit

Contains: 4 x cleaning heads, 3 x Brushes, 1 x Tool, 1 x Mesh bag



SVA38/90H
Conductive 90 Degree Head



SVA38/45H
Conductive 45 Degree Head



SVA38/135H
Conductive 135 Degree Head



SVA38/STR
Conductive Straight Cleaning Head



SV/MB
1 x Mesh Bag



SVA38/FLT
Flat Surface Tool
300mm / 12"



SVA38/4PB
Small Pipe Brush
100mm / 8"



SVA38/CT
Crevice Tool



SVA38/LRB
Conductive Large Round Brush

ATEX Pro 38mm Hose Kit

Contains: 1 x Cuff, 1 x Hose, 1 x Adaptor, 1 x Hose bag



SVA38/HA
Conductive Hose to Pole Adaptor



SVA38/5H
Conductive Hose
5m / 15ft



SVA38/50HC
Conductive Hose to Vac Inlet Cuff
38mm(1.5")-50mm(2")



SV/HB
Hose Bag



See More:

Scan to watch our explainer animation video.



Designed for users operating in more demanding cleaning environments, our 50mm (2") ATEX PRO cleaning poles offer a durable cleaning solution for specialist operators.

Developed in response to customer demand from operators who were cleaning in extreme heavy duty environments, our 2" cleaning poles offer an increased operating diameter to users, to increase airflow when cleaning at height - even when removing heavy duty blockages such as sawdust, wood shavings or metal filings.

Engineered to the highest standards in the UK - these wider diameter 50mm (2") poles are manufactured to a high grade 100% carbon formula right here in our brand new U.K manufacturing facility - and are equipped with our dual button safety locking mechanism for continuous internal connection and total operator safety.



Suggested Add-Ons:

TITAN ATEX Vacuums / Mercury ACD Vacuums (Page 46)



Additional Heads & Tools (Page 56) Ex-plorer Camera System (Page 44)

SPACEVAC



ATEX PRO

50mm



Caution: Carbon Conducts Electricity. Do not use in electrical areas or near overhead power lines.

Higher. Faster. Safer.

SVA50/EX-PRO

Max: 14.6m*
Min: 11.4m



Whats Included: ATEX Pro 50mm / 2"



- Pole Length: 1.6m / 5ft 2"
- Pole Diameter: 50mm / 2"
- Carbon Material: 100% Carbon
- No of Poles enclosed: 5.5
- Enclosed Pole Length: 10.4m / 34ft
- Max Working Height: 11.4m / 37ft

* Can be extended by up to 2 additional poles

ATEX Pro 50mm Pole Kit

Contains: 5 x cleaning poles, 1x Half cleaning pole, Padded pole bag



SVA50/16-PRO
5 x Conductive Pro Cleaning Pole
50mm (2") x 1.6m (5ft 2")

SVA50/08-PRO
1 x Conductive Pro Half Pole
50mm (2") x 0.8m (2ft 6")

SV-PB
Padded pole bag

ATEX Pro 50/38mm Head Kit

Contains: 4 x cleaning heads, 3 x Brushes, 1 x Tool, 1 x 38mm/50mm adaptor, 1 x Mesh bag



SVA38/90H
Conductive 90
Degree Head

SVA38/45H
Conductive 45
Degree Head

SVA38/135H
Conductive 135
Degree Head

SVA38/STR
Conductive Straight
Cleaning Head

SV/MB
1 x Mesh Bag

SVA38/FLT
Flat Surface Tool
300mm / 12"

SVA38/4PB
Small Pipe Brush
100mm / 8"

SVA38/CT
Crevice Tool

SVA38/LRB
Conductive Large
Round Brush

SVA50/38PA
Conductive 50mm
(2") to 38mm (1.5")
Adaptor**

ATEX Pro 50mm Hose Kit

Contains: 1 x Cuff, 1 x Hose, 1 x Adaptor, 1 x Hose bag



SVA50/50HA
1 x Conductive Hose
to Pole Adaptor
50mm / 2"

SVA50/10H
Conductive HD
rated Hose
10m / 32ft

SVA50/50HC
Vac Inlet Cuff
50mm / 2"

SV/HB
Hose Bag



See More:

Scan to find out more in our "Introduction to ATEX" video resource.



The SpaceVac Ultra cleaning system is our lightest, most durable pole ever - capable of reaching over 20m in height.

The **ULTRA** range provides unrivalled build quality and performance - delivering a pole that is lighter than our **PRO** pole, with increased rigidity thanks to an even stronger 12k carbon weave. This increase in stiffness and reduction in weight allows for operators to clean at our highest reach yet with ease.

The system is held securely in place with our unique safety locking mechanism and is equipped with a full range of conductive and anti-static cleaning accessories to ensure total conductivity from bristle to vacuum - ensuring total operator safety when removing combustibe waste from industrial facilities.



Suggested Add-Ons:

TITAN ATEX Vacuums / Mercury ACD Vacuums
(Page 46)



About our **Atex ULTRA** Poles:

- **Appearance:** Full 2x2 Twill finish, including ground male section.
- **Make up:** Ultra high modulus carbon and 3k 2x2 twill carbon
- **Weight:** 300 grams



Additional **Heads & Tools** (Page 56) **Ex-plorer Camera System** (Page 44)

SPACEVAC



38mm



Higher. Faster. Safer.

SVA38/EX-ULTRA

↑
Max: 19.2m*
Min: 16m
↓

Whats Included: ATEX Ultra 38mm / 1.5"



- Pole Length: 1.6m / 5ft 2"
- Pole Diameter: 38mm / 1.5"
- Carbon Material: 100% Carbon
- No of Poles enclosed: 9.5
- Enclosed Pole Length: 15m / 49ft
- Max Working Height: 16m / 52ft

* Can be extended by up to 2 additional poles

ATEX Ultra 38mm Pole Kit

Contains: 9 x Cleaning poles, 1 x Half cleaning pole, 1 x Padded pole bag



SVA38/16-ULTRA
9 x Conductive Ultra Cleaning Pole
38mm (1.5") x 1.6m (5ft 2")



SVA38/08-ULTRA
1 x Conductive Ultra Half Pole
38mm (1.5") x 0.8m (2ft 6")



SV-PB
Padded pole bag

ATEX Ultra 38mm Head Kit

Contains: 4 x Cleaning heads, 3 x Brushes, 1 x Tool, 1 x Mesh bag



SVA38/90H
Conductive 90 Degree Head



SVA38/45H
Conductive 45 Degree Head



SVA38/135H
Conductive 135 Degree Head



SVA38/STR
Straight Cleaning Head



SV/MB
1 x Mesh Bag



SVA38/FLT
Conductive Flat Surface Tool
300mm / 12"



SVA38/4PB
Small Pipe Brush
100mm / 8"



SVA38/CT
Crevice Tool



SVA38/LRB
Conductive Large Round Brush

ATEX Ultra 38mm Hose Kit

Contains: 1 x Cuff, 1 x Hose, 1 x Adaptor, 1 x Hose bag



SVA38/HA-ULTRA
Conductive Hose to Pole Adaptor



SVA38/10H-Ultra
Conductive HD rated Hose
10m / 32ft



SVA38/50HC-ULTRA
Conductive Vac Inlet Cuff
50mm / 2"



SV/HB
Hose Bag



See More:

Scan to find out more in our "Introduction to ATEX" video resource.





Bringing our market leading camera technology to specialist ATEX rated environments everywhere!

Cleaning in combustible areas requires specialist equipment, specifically certified for safe usage in these areas.

Our new Explorer Extreme, is a fully conductive and ATEX certified version of our Explorer wireless camera - featuring the same impressive specifications as its standard Explorer counterpart.


Users can take advantage of 9 hour battery life, full 360 degree lens rotation and the ability to stream in high res 1080p video or take 10mp still photographs to evidence and monitor cleaning work.

SVA-CAM/EXPLORER-KIT - Explorer Camera & Monitoring System

- Specifications**
- Stills: 12mp
 - Records At: 1080p HD
 - Battery Life: 9 hours
 - Waterproof: Yes
 - Waterproof Connections: Yes
 - Low Light Mode: Yes
 - Compatible with other devices: Yes
 - Remote Access Mode: Yes



SVACAM-EX-CAMERA
ATEX Explorer Camera [Zone 22]
SVACAM-EX-MONITOR
ATEX Phone Monitor [Zone 21/22]
SVCAM-CLAMP
2 x Camera and Monitor Tube Clamp
SVSCREEN-MOUNT
Screen Mount
SV/CB
Camera Bag
SV/QRC
Camera and monitor Quick Release Clip





ATEX Vacuums

TITAN a range of heavy duty industrial vacuums for the removal of combustible waste material from ATEX certified areas.

Class leading filtration and powerful motors ensure that all Titans are reliable and ready to perform in critical environments.

Key Features:

- » Powerful cleaning performance
- » Fully conductive, ATEX certified
- » Market leading filtration
- » Durable steel construction
- » Unique pole and tool holders*
- » Easy to clean and maintain

Key Sectors:

- Retail ✓
- Textiles & Laundry ✓
- Paper, Tissue & Card ✓
- Transport & Logistics ✓
- Manufacturing ✓
- FM/BSC ✓
- Healthcare & Pharma ✓
- Energy & Construction ✓

Including: Computer Centres, Pharmaceutical Businesses, Hospitals, Laboratories, Precision Engineering and more.



- Titan 1 110V vacuum
- Titan 1 230V vacuum
- Titan 2 110V vacuum
- Titan 2 230V vacuum
- Titan 2 longopac 110V Vacuum
- Titan 2 longopac 230V vacuum
- Titan 3 Phase vacuum

| Specification | | Titan 1222 | Titan 2 | Titan 2LP | Titan 3 Phase |
|---------------------------|------------|-------------------------------|-------------------------------|-------------------------------|---------------------|
| Atex zones | | Internal Z20/ External Z22 | Internal Z20/ External Z22 | Internal Z20/ External Z21 | Zone 2/22 |
| Voltage | V - Hz | 110/230 | 110/230 | 110/230 | 230 / 400 |
| Power | kW | 1.15 | 2.3 | 2.2 | 2.2 |
| Amps | A | [110] 5 / [230] 8 | [110] 16 / [230] 10 | [110] 28 / [230] | [230] 12 / [400] 10 |
| Max air flo | m³/h / CFM | 180 / 106 | 360 / 212 | 430 / 253 | 318 / 187 |
| Suction inlet | mm | 50 | 80 | 80 | 80 |
| Noise level [EN ISO 3744] | dB(A) | 74 | 76 | 74 | 69 |
| Tool Holders | | No | 38mm/50mm | 38mm/50mm | |

SPECIALIST Industrial Vacuums

The Only Bright Spark Allowed.



ACD Vacuums

MERCURY a new range of vacuums certified for the removal of combustible particulate matter - such as wood or food dusts - from non ATEX zoned areas.

ACD is a new certification for specialist vacuums designed to deal with combustible dusts outside of a zone 21/22 classified environment as well as zone 20 internally - a unique feature in the ACD space!

Key Features:

- » Powerful cleaning performance
- » Market leading filtration with internal zone 20 filtration chamber
- » Durable steel construction
- » Unique pole and tool holders.

Key Sectors:

- Retail ✓
- Textiles & Laundry ✓
- Paper, Tissue & Card ✓
- Transport and Logistics ✓
- Manufacturing ✓
- FM/BSC ✓
- Healthcare & Pharma ✓
- Energy & Construction ✓

Including:

- Production Facilities - Paper, Wood, Plastic, Aluminium
- Food Manufacturing - Sugar, Coffee, Flour



- Mercury 1 110V vacuum
- Mercury 1 230V vacuum
- Mercury 2 110V vacuum
- Mercury 2 230V vacuum
- Mercury 202 110V vacuum
- Mercury 202 230V vacuum
- Mercury 3 110V vacuum
- Mercury 3 230V vacuum
- Mercury 2 longopac 110V vacuum
- Mercury 2 longopac 230V vacuum
- Mercury 3 longopac 110V vacuum
- Mercury 3 longopac 230V vacuum

| Specification | | Mercury 1 | Mercury 2 | Mercury 2LP | Mercury 3 | Mercury 3LP |
|---------------|------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| EX Category | | CE ACD / Internal z20 |
| Voltage | V - Hz | 110/230 | 110/230 | 110/230 | 110 / 230 | 110/230 |
| Power | kW | 2.3 | 2.3 | 3.45-2.3 | 3.45 | 3.45 |
| Amps | A | [110] 16 / [230] | [110] 16 / [230] | [110] 20 / [230] 15 | [110] 16 / [230] | [110] 16 / [230] 10 |
| Max air flo | m³/h / CFM | 360 / 212 | 360 / 212 | 360 / 212 | 540 / 318 | 540 / 318 |
| Suction inlet | mm | 50 | 80 | 50 | 80 | 80 |
| Noise level | dB(A) | 74 | 74 | 76 | 76 | 76 |
| Tool Holders | | No | 38mm/50mm | 38mm/50mm | No | 38mm/50mm |

SPECIALIST Vacuum Solutions

In industries where precision and safety are paramount, our range of specialist vacuum options deliver high-performance cleaning solutions you can rely on.

From cleanrooms and laboratories to heavy-duty manufacturing facilities, our vacuum systems are engineered for the most demanding environments. Whether you need to safely remove fine particulate matter, toxic gases, or hazardous materials, our vacuums offer unparalleled efficiency and versatility, all while adhering to the highest standards of safety and performance.

Cleanrooms & Pharmaceuticals

Designed to meet the stringent requirements of controlled environments, these vacuums are equipped with HEPA / star filtration to ensure the removal of ultra-fine particles. Whether in pharmaceutical manufacturing or biotechnology laboratories, these vacuums help maintain the integrity of sensitive processes, ensuring contamination-free conditions and compliance with industry regulations.

Laboratories & Precision Cleaning

For research labs that require meticulous cleanliness, our range of vacuums is tailored to ensure the safe removal of particles without risking contamination or damage to sensitive equipment. From scientific laboratories to electronics and nanotechnology research centres, our vacuums are capable of safely extracting dust, debris, and even chemical residues. Built for precision and durability, these vacuums enhance both productivity and safety in any laboratory setting.

Vacuum Solutions for Data Centres

Data centres demand a spotless environment to prevent downtime and safeguard the integrity of sensitive electronic systems. Our specialist vacuums are designed to remove both fine dust and electrostatic particles, preventing damage to servers and hardware. With features like anti-static properties and safe collection systems, these vacuums help maintain the cleanliness and operational efficiency of high-tech facilities, ensuring that your data infrastructure remains uninterrupted.



Heavy Duty & Industrial Power Solutions

For industrial settings that require heavy-duty cleaning, we offer vacuums equipped to handle high-power, three-phase electricity. These machines are built for tough tasks, capable of cleaning large spaces and removing heavy debris, oils, and other hazardous materials commonly found in factories, workshops, and manufacturing environments. Whether you are in metalworking, construction, or woodworking, our heavy-duty vacuums help maintain safety standards while keeping your facility clean and productive.

Metal Particles, and Gases

Certain industries—such as metalworking, and chemical processing—generate hazardous materials that require specialised vacuums. Our equipment is designed for the safe removal of these materials such as, metal shavings, and even volatile gases. These vacuums feature powerful filtration systems, often with spark-proof motors and explosion-proof capabilities, ensuring that dangerous particles and fumes are removed safely and efficiently.

The Range You Can Trust

From light-duty to industrial-strength cleaning, our specialist vacuums are built to deliver reliable performance and exceptional durability in niche and demanding environments. Whether you're tackling small-scale laboratory work or large industrial cleaning tasks, we provide the tools you need to ensure your workspace is safe, clean, and compliant.

Our Food Safe add-on pack has been developed to help cleaning teams and FMs to manage the risks of cross-contamination and pests attracted by the organic products often found in these areas,

Featuring a range of FDA approved cleaning heads - SpaceVac has created a unique solution for use with any SpaceVac ATEX cleaning system. Colour coded, the system is available in five different colours (green, blue, red, yellow and white) for use in different areas and featuring synthetic bristles guaranteed not to detach from the brush during use.

The five uniquely shaped brushes all feature our unique safety locking mechanism to ensure optimal performance and user safety.

Ideal for use in:

Any facility involved in the storage, processing or manufacturing of food and drink products


Available Colours:



Designed for use in industrial baking facilities, our oven kit is the perfect solution for removing crumbs, carbonised dirt and other waste from within large industrial ovens.

This durable add-on kit features a selection of heavy duty cleaning tools for the simple agitation and removal of waste without needing to access the inside of the oven - meaning cleaning work can be completed quicker and with minimal impact on production.

The system can be added to any SpaceVac ATEX cleaning system and is secured in firmly in place with our safety locking mechanism - ensuring no risk of components separating and falling within ovens while cleaning.



SVA38/OVEN-KIT - 38mm [1.5"] Atex Oven Kit

Contains: 3 x tools



SVA38/SSON
Conductive
Stainless Steel
Nozzle



SVA38/SSRT
Conductive
Stainless Steel
Round Tool



SVA38/SSCT
Conductive
Stainless Steel
Crevice Tool



ATEX Food Safe Head Kit

Contains: 5 x Brushes, 1 x Mesh bag



SVA38/FSCONE
Anti Static Nozzle
Tool



SVA38/FSGN
Anti Static Gulper
Tool



SVA38/FSTB
Anti Static
Triangular Brush




SVA38/FSREC
Anti Static
Rectangular Brush



SVA38/FSRB
Anti Static Round
Brush



SV/MB
1 x Mesh Bag





Leaving dust with
nowhere to hide...



In addition to our high-reach cleaning systems, SpaceVac offers the ATEX Floor and Under Racking Conversion Kit, has been designed for safe and efficient cleaning in specialist explosive atmospheres where combustible waste can gather.

This specialised kit enables operators to quickly convert any of our ATEX cleaning systems to remove dirt and dust from horizontal surfaces, including floors and under racking, while maintaining the highest indoor air quality and aesthetic standards.

Equipped with heavy duty cleaning tools and a range of pole length options, the conversion kit delivers faster results than traditional vacuums, all while being securely held in place by our unique safety locking mechanism.

Ideal for use in ATEX or C₂D₂-rated facilities such as warehouses, airports, and shopping centres, the conversion kit features full carbon, conductive construction and anti-static accessories to ensure safe operation in combustible environments. It can also be extended with additional poles for greater reach.

Internal version also available for cleaning in non-combustible environments. See page 28 for more information.

Benefits of our TEX Floor and Under Racking Kits:

- ✓ Extend the useful range of your SpaceVac system - one system to clean all areas!
- ✓ Prevent dirt and dust being transferred throughout a facility **reducing the risk of cross-contamination.**
- ✓ Reduce the risk of **slips and falls** in the facility.
- ✓ Compatible with **any** vacuum including centralised HVAC systems.
- ✓ Half pole allows for access in even the most confined spaces
- ✓ 50mm [2"] version available for **heavy duty** cleaning.
- ✓ Combine with other SpaceVac heads and poles to **create custom configuration** to reach even the most inaccessible spots.
- ✓ Create custom floor kit bundles to perfectly access the most difficult to reach areas of your facility.

Configure our Own Kit:

To enable our clients to meet even the toughest cleaning challenges - our floor and under-racking kits can be configured to create kits custom made for your facility.

Selecting from the available poles, tools and connectors any SpaceVac system can quickly and easily be put to use cleaning horizontally.



Select Pole Lengths

Our pole lengths are available in three lengths:



Select Diameter

The poles and tools are available in two diameters to match whichever system is being converted:



Select Required Heads and Tools:

Select from a range of cleaning heads and tools to fit



Not sure what you need?

Reach out and talk to our team today to discuss your requirements in more detail!
spacevacinternational.com/contact

Cleaning Poles:

Available in 2x diameters and 3x lengths.

38mm



SVA38/08-PIONEER
Conductive Pioneer Carbon Half Pole
38mm [1.5"] x 0.8m [2ft 6"]

SVA38/125-LITE
Conductive Lite Carbon Pole
38mm [1.5"] x 1.25m [4ft 2"]

SVA38/16-PIONEER
Conductive Pioneer Carbon Cleaning Pole
38mm [1.5"] x 1.6m [5ft 2"]

50mm



SVA50/08-PRO
Conductive Carbon Pro Pole
50mm [2"] x 0.8m [2ft 6"]

SVA50/125-PRO
Conductive Carbon Pro Pole
50mm [2"] x 1.25m [4ft 2"]

SVA50/16-PRO
Conductive Carbon Pro Pole
50mm [2"] x 1.6m [5ft 2"]

Cleaning Heads & Connectors:

Available in 2x diameters

38mm



SVA38/45H
Conductive 45 Degree
Cleaning Head

SVA38/STR
Straight Cleaning
Head

SVA38/HA
Conductive Hose to pole
Adaptor
38mm / 1.5"

SV38/FLT400-HD
Conductive Heavy Duty
Floor Tool
400mm / 14"

SVA38/FLT400-HDNS
Conductive Heavy Duty
Floor Tool [no swivel]
400mm / 14"

SVA38/FLT
Conductive Floor Tool
300mm / 12"

SVA38/FLT-ADJUST
Height Adjustable Floor
Tool 430mm / 16"

SVA38/SCAV
Wide Nozzle Scavenger
Tool 38mm / 1.5"

50mm



SV50/45-MFPA
Conductive Male to Female
Pole Adaptor


SVA50/50HA
Conductive Hose to Pole
Adaptor
50mm / 2"

SVA50/FLT400-HD
Conductive Heavy Duty
Floor Tool
400mm / 14"

SVA50/FLT400-HDNS
Conductive Heavy Duty
Floor Tool [no swivel]
400mm / 14"

SVA50/SCAV
Wide Nozzle Scavenger
Tool 50mm / 2"

SVA50/FLT-ADJUST
Height Adjustable Floor
Tool 430mm / 16"



Anti-Static Accessories

[*] Antistatic - An antistatic tool has a volume resistance <109 ohms, and/or with a conductor built in. For use in general non-hazardous areas and explosive atmospheres - ATEX Zone 22 Dust only.



SVA38/15SW
Anti-Static Large Flexi-Brush*
380mm / 15"



SVA38/8SW
Anti-Static Flexi-Brush*
200mm / 8"



SVA38/12DB
Anti Static Ducting Brush*
300mm / 12"



SVA38/24DB
Anti Static Ducting Brush*
600mm / 24"



SVA38/48DB
Anti Static Ducting Brush*
1200mm / 48"



SVA38/MRB
Anti Static Medium Round Brush*



SVA38/MAB
Anti static multi angle brush*



SVA70/FLT-ADJUST
430mm Height Adjustable Floor Tool

Conductive Accessories

[**] Conductive - A conductive tool has a volume resistance <104 ohms. It may have a conductor built in. For use in general non-hazardous areas and explosive atmospheres - ATEX zones 1, 2, 21 and 22



SVA38/LRB
Conductive Large Round Brush



SVA38/4PB
Conductive Pipe Brush**
100mm / 4"



SVA38/8PB
Conductive Pipe Brush**
200mm / 8"



SVA50/38PA
Conductive 50mm [2"] to 38mm [1.5"] Adapter**

SVA/HJ
Hose Joiner**



SV/SB-BLUE*
Set of 10 Silicon bands to affix to poles for ID purposes
NON CONDUCTIVE

* Available in blue, red, white, yellow and green

EXTERNAL

Cleaning Systems

SpaceVacs External gutter cleaning systems offer a selection of durable tools for the fast and safe removal of blockages and waste material from external gutters and downpipes in domestic, commercial and industrial facilities.

Ideal for use in:



Retail



Education



Leisure & Tourism



Warehouse & Logistics



Manufacturing



FM/BSC



Arts & Culture



Energy & Construction

Systems Available:

- External **PROTEX** 50mm Page 60
- External **LITE** (50mm/2") Page 62
- External **CLASSIC** (50mm/2") Page 64
- External **PRO** (70mm/2.7") Page 66
- **UNIVERSAL** (50mm/2") Page 68
- External **Vacuums** Page 70
- External accessories Page 72

"Spacevac has been a blessing to us. It enables us to clean high-level areas in 25% of the time it took us prior to owning the system"

CBRE (Italy)



Working with carbon or aluminium reach poles near overhead electrically supply lines is extremely dangerous and has resulted in serious injury and loss of life.

SpaceVac's new External **PROTEX** system is non conductive throughout it's entire length, so you are never in contact with a potentially charged pole.

Independently tested by the University of Manchester to withstand charges up to 25,000v the **PROTEX** system is ideal for use when cleaning in environments when electrical arcing or direct contact is an identified risk

Don't risk your life, use SpaceVac's PROTEX system



Independently tested by the University of Manchester



Suggested Add-Ons:

NEPTUNE External Vacuums [Page 70]



Neptune 2 Vacuum



Neptune 3 Vacuum



Spacesuit [Page 22]



Pathfinder Camera System [Page 18]

About our External PROTEX Poles:

- **Appearance:** High visibility red twill.
- **Make up:** Pre-impregnated glass composite material. Non-conductive and rated up to 25,000v.
- **Weight:** 467 grams

SPACEVAC

PROTEX 50mm

SpaceVac High Voltage poles meet International Category II Type

Rated to withstand 25,000v AC & 10kV DC

Poles are not to be used in wet environments

↑
Max: 10.5m*
Min: 7.3m
↓



* Can be extended by up to 2 additional poles

SV50/PROTEX

Whats Included: External PROTEX 50mm / 2"

- Pole Length: 1.6m / 4ft 6"
- Pole Diameter: 50mm / 2"
- Carbon Material: Non Conductive Glass Fibre
- No of Poles enclosed: 4.5
- Enclosed Pole Length: 8m / 24ft
- Max Working Height: 9m / 34ft

PROTEX 50mm Pole Kit

Contains: 4 x cleaning poles, 1 x Half cleaning pole, 1 x Padded pole bag



SV50/16-HV
4 x High Voltage Poles
50mm [2"] x 1.6m [5ft 2"]



SV50/08-HV
1 x High Voltage Half Pole
50mm [2"] x 0.8m [2ft 4"]



SV-PB
Padded pole bag

PROTEX 50mm Head Kit

Contains: 1 x Cleaning head, 1 x Cleaning tool



SV50/135H
135 Degree Head



SV50/38ST
Small Spike Tool
38mm / 1.5"



SV50/HVHA
Hose to Pole Adaptor



SV50/75H
7.5 m x 50mm [2"]
Hose



SV50/50HC
50mm Vac Inlet [2"] Cuff

* Colour of supplied hose may vary from that shown. Please enquire for more information.



See More:

Scan to see the SpaceVac system in action on our Youtube channel.



Additional Tools & Accessories Available

See page 74 for a full range of add-on tools and cleaning heads to expand the reach and functionality of your SpaceVac system!



A perfect introductory system for users looking to begin gutter cleaning services up to two stories high from the safety of the ground floor

Perfect for cleaning domestic and smaller commercial properties - often as a complementary service to other external cleaning services - the External **LITE** comes equipped with 5.5 heavy duty cleaning poles along with 2 stainless steel spike tools for the agitation and removal of dirt, leaves, pine needles and other blockages - all held securely in place with our unique safety locking mechanism.

The system is the ideal entry point for window cleaners, pressure wash companies and other groundskeeping companies looking to offer additional services to their clients.



Suggested Add-Ons:

NEPTUNE External Vacuums
[Page 70]



Neptune 2 Vacuum

Neptune 3 Vacuum



SpaceSuit
[Page 22]



Pathfinder Camera System
[Page 18]

SPACEVAC

LITE

50mm



Caution
Cable Conducts Electricity
Do not use in damp areas
if the overhead power line

Higher. Faster. Safer.

Max: 9.8m*
Min: 6.6m



SV50-FK-LITE

- Whats Included: External Lite 50mm / 2"
- Pole Length: 1.6m / 4ft 5"
 - Pole Diameter: 50mm / 2"
 - Carbon Material: Glass Fibre / Carbon Fibre Composite
 - No of Poles enclosed: 4.5
 - Enclosed Pole Length: 8m / 204ft
 - Max Working Height: 9.2m / 33ft

* Can be extended by up to 2 additional poles

External Lite Pole Kit

Contains: 3 x cleaning poles, 1 x Half cleaning pole, 1 x Padded pole bag



SV50/16-Classic
3 x Classic Cleaning Pole
50mm [2"] x 1.6m [5ft 2"]

SV50/08-Classic
1 x Classic Half Pole
50mm [2"] x 0.8m [2ft 6"]

SV-PB
Padded pole bag

External Lite Head Kit

Contains: 1 x Cleaning head, 2 x Cleaning tools



SV50/135H
135 Degree Head



SV50/38ST
Small Spike Tool
38mm / 1.5"



SV50/50ST
Large Spike Tool
50mm / 2"

External Lite Hose Kit

Contains: 1 x Hose, 1 x Hose adaptor, 1 x Cuff, 1 x Hose bag



SV50/HA
Hose to Pole Adaptor
50mm [2"]



SV50/75H
Hose
7.5m [24ft] / 50mm [2"]



SV50/50HC
Vac Inlet Cuff
50mm / 2"



SV/HB
Hose Bag

* Colour of supplied hose may vary from that shown. Please enquire for more information.



Additional Tools & Accessories Available

See page 72 for a full range of add-on tools and cleaning heads to expand the reach and functionality of your SpaceVac system!



See More:

Scan to see the SpaceVac system in action on our Youtube channel.



Where it all began! Our External Classic cleaning system was the first of its kind to be launched and a decade later is still the market leader!

Providing a fast and cost effective method of cleaning blockages and build ups from external guttering and downpipes - the system is built around a wider 50mm (2") variant of our cleaning poles to provide increased airflow and less chance of blockages occurring when removing heavy duty waste.

The system is accessorised with a range of heavy duty stainless steel cleaning tools - all held safely in place with our unique safety locking mechanism.



SPACEVAC

CLASSIC

50mm



Manufactured in Great Britain



Caution Carbon Conducts Electricity Do not use in electrical work. * Use overhead power lines.

Higher. Faster. Safer.

↑
Max: 14.6m*
Min: 11.4m
↓

Whats Included: External Classic 50mm / 2"

- Pole Length: 1.6m / 5ft 2"
- Pole Diameter: 50mm / 2"
- Carbon Material: Glass Fibre / Carbon Fibre Composite
- No of Poles enclosed: 6.5
- Enclosed Pole Length: 10.4m / 34ft
- Max Working Height: 11.4m / 37ft



* Can be extended by up to 2 additional poles

External Classic Pole Kit

Contains: 6 x Cleaning poles, 1 x Half cleaning pole, 1 x Padded pole bag



SV50/16-Classic
6 x Classic Cleaning Pole
50mm (2") x 1.6m (5ft 2")

SV50/08-Classic
1 x Classic Half Pole
50mm (2") x 0.8m (2ft 6")

SV-PB
Padded pole bag

External Classic Head Kit

Contains: 1 x Cleaning head, 4 x Cleaning tools



SV50/135H
135 Degree Head

SV50/38ST
Small Spike Tool
38mm / 1.5"

SV50/50ST
Large Spike Tool
50mm / 2"

SV50/38RT
Round Tool
38mm / 1.5"

SV50/38CT
Crevice Tool

External Classic Hose Kit

Contains: 1 x Hose, 1 x Adaptor, 1 x Cuff, 1 x Hose bag



SV50/HA
Hose to Pole Adaptor
50mm (2")

SV50/75H
Hose
7.5m (24ft) / 50mm (2")

SV50/50HC
Vac Inlet Cuff
50mm / 2"

SV/HB
Hose Bag

* Colour of supplied hose may vary from that shown. Please enquire for more information.

See More:
Scan to watch an explainer video on the SpaceVac External system.

About our External Classic Poles:

- Appearance: Pure Carbon.
- Make up: Standard modulus carbon, 1 layer of clear glass.
- Weight: 495 grams per pole



Spacesuit
[Page 22]



Pathfinder Camera System
[Page 18]



Additional Tools & Accessories Available

See page 74 for a full range of add-on tools and cleaning heads to expand the reach and functionality of your SpaceVac system!

Our External Pro has been designed for power users looking to remove heavy duty blockages and waste from guttering systems.

Featuring a super wide 70mm [2.7"] cleaning pole - the system provides our most powerful gutter cleaning system yet removing even the toughest build ups - including pine needles.

The system comes equipped with a 70mm 135 degree cleaning head and a full set of stainless steel cleaning accessories for tackling blockages and build ups in gutters, downpipes, box guttering and other external areas.



Suggested Add-Ons:

NEPTUNE External Vacuums [Page 70]



Neptune 2 Vacuum



Neptune 3 Vacuum



Spacesuit [Page 22]



Pathfinder Camera System [Page 18]

About our External PRO Poles:

- Appearance: Black glass / Carbon
- Make up: High modulus carbon and glass composite
- Weight: 66g grams per pole

↑
Max: 12.6m*
Min: 9.4m



Whats Included: External Pro 70mm / 2.7"

- Pole Length: 1.4m / 4ft 6"
- Pole Diameter: 70mm / 2.7"
- Carbon Material: Glass Fibre / Carbon Fibre Composite
- No of Poles enclosed: 6
- Enclosed Pole Length: 8.4m / 28ft
- Max Working Height: 9.4m / 31ft

* Can be extended by up to 2 additional poles

External Pro Pole Kit

Contains: 6 x Cleaning poles, Padded Pole Bag



SV70/14-PRO
6 x External Pro Cleaning Poles
70mm [2.7"] x 1.4m [4ft 6"]



SV-PB
Padded pole bag

External Pro Head Kit

Contains: 3 x Cleaning Heads, Adaptor, Protector, 2 tools, mesh bag



SV70/90H
90 Degree Carbon Head
70mm / 2.7"



SV70/135H
135 Degree Cleaning Head
70mm / 2.7"



SV70/45H
45 Degree Carbon Head
70mm / 2.7"



SV70/RN
Round Carbon Cleaning Nozzle
70mm / 2.7"

SV70/BP
Bend Protector
70mm / 2.7"



SV70/50RED
70mm [2.7"] to 50mm [2"] Adaptor



SV50/50ST
Large Spike Tool
50mm / 2"



SV50/50CT
Crevice Tool
50mm / 2"



SV/MB
1 x Mesh Bag



See More:

Scan to see the SpaceVac system in action on our Youtube channel.



External Pro Hose Kit

Contains: Adaptor, 2 x cuffs, 1 x Hose, 1 x Hose bag



SV70/HA
Hose to Pole Adaptor
70mm / 2.7"



SV70/10H
Hose
10m [30ft] / 70mm [2.7"]



SV70/70IC
Vac Inlet Cuff
70mm / 2.7"



SV70/HC
Hose Cuff



SV/HB
Hose Bag

* Colour of supplied hose may vary from that shown. Please enquire for more information.

SPACEVAC



Higher. Faster. Safer.

The most versatile SpaceVac yet - offering options for cleaning inside and out!

The **UNIVERSAL** system is designed for cleaners and facilities managers looking to make the most of high-level cleaning both externally and internally.

The system is built around a core of our 50mm [2"] cleaning poles and stainless steel cleaning tools for the removal of waste and organic materials from guttering and downpipes.

Offering users total flexibility - the system can also be used internally, with a 50-38mm convertor allowing the use of the full set of internal cleaning heads for internal dust removal as well.

The system is perfect for businesses looking to add multiple new revenue streams to their business in one investment!



Suggested Add-Ons:

NEPTUNE External Vacuums
[Page 70]



Neptune 2
Vacuum



Neptune 3
Vacuum



Spacesuit
[Page 22]



Pathfinder Camera System
[Page 18]

SPACEVAC

CLASSIC

50mm



Higher. Faster. Safer.

↑
Max: 14.6m*
Min: 11.4m
↓



* Can be extended by up to 2 additional poles

SV50-UNI

Whats Included: Universal 50mm / 2"

- Pole Length: 1.6m / 5ft 2"
- Pole Diameter: 50mm / 2"
- Carbon Material: Glass Fibre / Carbon Fibre Composite
- No of Poles enclosed: 6.5
- Enclosed Pole Length: 10.4m / 34ft
- Max Working Height: 11.4m / 37ft

Universal Pole Kit

Contains: 6 x cleaning poles, 1 x Half cleaning pole, 1 x Padded pole bag, 1 x Adaptor



SV50/16-Classic
6 x Classic Cleaning Pole
50mm [2"] x 1.6m [5ft 2"]

SV50/08-Classic
1 x Classic Half Pole
50mm [2"] x 0.8m [2ft 6"]

SV-PB
Padded pole bag

Universal Head Kit

Contains: 5 cleaning heads, 5 x brushes, 4 x tools, 1 x Mesh bag



SV50/135H
135 Degree Head



SV50/38ST
Small Spike Tool
38mm / 1.5"



SV50/50ST
Large Spike Tool
50mm / 2"



SV50/38RT
Round Tool
38mm / 1.5"



SV50/38CT
Crevice Tool



SV38/90H
90 Degree Cleaning Head



SV38/135H
135 Degree Cleaning Head



SV38/45H
45 Degree Cleaning Head



SV38/STR
Straight Head



SV38/12DB
Ducting Brush
300mm [12"]



SV38/85W
Small Flexi Brush
200mm [8"]



SV38/SRB
Small Round Brush



SV38/FLT
Flat Surface Tool
300mm [12"]



SV38/15SW
Large Flexi Brush
380mm [15"]



SV/MB
1 x Mesh Bag

Universal Hose Kit

Contains: 1 x Adaptor, 1 x Cuff, 1 x Hose, 1 x Hose bag



SV50/HA
Hose to Pole Adaptor
50mm [2"]



SV50/75H
Hose
7.5m [24ft] / 50mm [2"]



SV50/50HC
Vac Inlet Cuff
50mm / 2"



SV50/38PA
50mm [2"] to 38mm [1.5"] Adaptor



SV/HB
Hose Bag

* Colour of supplied hose may vary from that shown. Please enquire for more information.

EXTERNAL Vacuums

Long Lasting Cleaning Performance



NEPTUNE our range of powerful wet/dry industrial vacuums for the removal of blockages and organic waste found in external guttering and downpipes.

Ideal for use in domestic, commercial and industrial properties, the **NEPTUNE** range has been manufactured to be durable and reliable in the toughest of conditions, time after time. The key reason we offer a 2 Year Warranty.

Key Features:

- » Powerful by-pass motors
- » Sequential starting switches
- » Independent cooling
- » Durable steel construction
- » Compact and mobile
- » Easy to clean and maintain

Key Sectors:

-  Retail ✓
-  Education ✓
-  Leisure & Tourism ✓
-  Transport and Logistics ✓
-  Manufacturing ✓
-  FM/BSC ✓
-  Arts & Culture ✓
-  Energy & Construction ✓

Suitable for use in any building with external guttering and downpipes including: Schools, Colleges, Warehouses, Churches, Hotels, Theme Parks, Hospitals and Domestic properties.



Hurricane



Neptune 3

- Hurricane** Triple motor 110v vacuum
- Hurricane** Triple motor 230v vacuum
- Neptune 3** Triple motor 110v vacuum
- Neptune 3** Triple motor 230v vacuum

| Specifications | | Hurricane | Neptune 3 |
|---------------------------|-------------------------|----------------------|------------------|
| Voltage | V - Hz | 110/230 | 110/230 |
| Power | kW | [110] 3.3 / 230] 2.4 | 3-45 |
| Amps | A | [110] 20 / 230] | 110v: 20 / 230v: |
| Max air flow | m ³ /h / CFM | 450 / 264 | 540 / 318 |
| Noise level [EN ISO 3744] | dB[A] | 76 | 76 |
| Tool Holders | | Yes | Yes |

External Accessories



SV50/15H
15 Degree Cleaning Head



SV50/45H
45 Degree Cleaning Head



SV50/90H
90 Degree Cleaning Head



SV50/180H
180 Degree Cleaning Head



SV50/BGH
Box Gutter Head



SV50/PMT
Plastic Moss Cleaning Tool



SV50/50ST-CO
Composite Gutter Spike Tool



SV50/AMT
Aluminum Moss Cleaning Tool




SV50/SS
Silicon sleeve
(cobweb/sludge removal)



SV50/BRT
Branch Removal Tool

SV70/FLT-ADJUST
70mm [2.7"] Height
Adjustable Floor Tool

SV50/50RT-CO
50mm composite
gutter tool round end



Contact Us Today!

SpaceVacs products are available in over 50 countries worldwide - be sure to reach out to us today to discuss your requirements with us in detail and be connected with your local SpaceVac representative:

W: spacevacinternational.com
E: sales@spacevacinternational.com
T: 01604 968668

Or connect with us on Social Media:



#TeamSpaceVac



Find Out More:

SpaceVac International

Unit 3, JBJ Business Park, Northampton Road,
Blisworth, Northamptonshire, UK, NN7 3DW.

W: spacevacinternational.com
E: sales@spacevacinternational.com
T: 01604 968668

Or connect with #TeamSpaceVac on Social Media:

